


SR

RAXTAR


RX2745FL

72-92m/min




RX2745FL


Passenger & Material Hoist (Single Configuration)




OVERVIEW



TOP VIEW




SIDE VIEW




FRONT VIEW

RX2745FL


Passenger & Material Hoist (Twin Configuration)




OVERVIEW



TOP VIEW



SIDE VIEW



FRONT VIEW

Technical Data - (RX2745FL)

CAPACITY

| | 72m/min | 92m/min |
|------------------------|--------------|--------------|
| Payload | 2700kg | 2700kg |
| Lifting Speed | 0 - 72 m/min | 0 - 92 m/min |
| Counter Weight | No | No |
| Maximum Lifting Height | 300m | 300m |

ELECTRICAL DATA

| | | |
|---------------------------------|--------------------|--------------------|
| Motor | 2 x 22kw | 3 x 18kw |
| Power Supply | 400v - 50hz, 3p | 400v - 50hz, 3p |
| 110 V / 230 V power on platform | Standard, included | Standard, included |
| Overload device | Standard, included | Standard, included |
| Automatic lubrication | Optional | Optional |

DIMENSIONS & WEIGHT

| | |
|---|---------------------|
| Hoist Car internal dimensions (L x W x H) | 4.40 x 1.52 x 2.60m |
| Ground enclosure (L x W x H) | 4.81 x 2.69 x 2.94m |
| Length Mast section | 1.51m |
| Weight mast section, single rack | 120kg |
| Weight mast section, double rack | 150kg |

HOIST CONTROLS

| | |
|---|-------------------------------|
| Controls | Frequency control / SNL / PLC |
| User Interface | Joystick / touch panel |
| Bluetooth communication | Optional |
| Manual controls / erection controls | Standard, included |
| Drop test controls | Standard, included |
| Programmable landings | Optional |
| Hoist calling system | Optional |
| RX Control, internet management control | Optional |

GENERAL

| | |
|------------------------------------|---|
| Finishing Cabin / Ground Enclosure | Galvanised / Powder Coated |
| Company Logo & Colour | Optional |
| Ground Enclosure | Standard, included |
| C-Door | Optional |
| Cable Trolley System | Standard, included |
| Erection Jib | Optional |
| Norms & Regulations | Machine Directive (EN121159+A1) / A10.4:2007 (USA) / CSA Z185 |

*Data based on a standard configuration

RAXTAR of the Netherlands is a privately owned organisation that provides world class vertical access solutions: construction hoists for passengers & materials, material hoists, transport platforms and industrial lifts. RAXTAR builds on innovation & technology to deliver unequalled operational reliability at the lowest cost of ownership (TCO) in the market. RAXTAR is a synonym for meeting the highest-quality and safety standards.

21-29 West Circuit,
Sunshine West,
3020 VIC, AUSTRALIA

P. +61 3 9312 6497
E. sales@scanrent.com.au
www.scanrent.com.au

