


# SR

RAXTAR


RX2740FL

72-92m/min




# RX2740FL


## Passenger & Material Hoist (Single Configuration)




OVERVIEW



TOP VIEW




SIDE VIEW




FRONT VIEW

# RX2740FL


## Passenger & Material Hoist (Twin Configuration)




OVERVIEW



TOP VIEW



SIDE VIEW



FRONT VIEW

## Technical Data - (RX2740FL)

### CAPACITY

Payload	<b>72m/min</b> 2700kg	<b>92m/min</b> 2700kg
Lifting Speed	0 - 72 m/min	0 - 92 m/min
Counter Weight	No	No
Maximum Lifting Height	300m	300m

### ELECTRICAL DATA

Motor	2 x 22kw	3 x 18.5kw
Power Supply	400v - 50hz, 3p	400v - 50hz, 3p
110 V / 230 V power on platform	Standard, included	Standard, included
Overload device	Standard, included	Standard, included
Automatic lubrication	Optional	Optional

### DIMENSIONS & WEIGHT

Hoist Car internal dimensions (L x W x H)	3.90 x 1.52 x 2.60m
Ground enclosure (L x W x H)	4.31 x 2.69 x 2.94m
Length Mast section	1.51m
Weight mast section, single rack	120kg
Weight mast section, double rack	150kg

### HOIST CONTROLS

Controls	Frequency control / SNL / PLC
User Interface	Joystick / touch panel
Bluetooth communication	Optional
Manual controls / erection controls	Standard, included
Drop test controls	Standard, included
Programmable landings	Optional
Hoist calling system	Optional
RX Control, internet management control	Optional

### GENERAL

Finishing Cabin / Ground Enclosure	Galvanised / Powder Coated
Company Logo & Colour	Optional
Ground Enclosure	Standard, included
C-Door	Optional
Cable Trolley System	Standard, included
Erection Jib	Optional
Norms & Regulations	Machine Directive (EN121159+A1) / A10.4:2007 (USA) / CSA Z185

\*Data based on a standard configuration

RAXTAR of the Netherlands is a privately owned organisation that provides world class vertical access solutions: construction hoists for passengers & materials, material hoists, transport platforms and industrial lifts. RAXTAR builds on innovation & technology to deliver unequalled operational reliability at the lowest cost of ownership (TCO) in the market. RAXTAR is a synonym for meeting the highest-quality and safety standards.

21-29 West Circuit,  
Sunshine West,  
3020 VIC, AUSTRALIA

P. +61 3 9312 6497  
E. [sales@scanrent.com.au](mailto:sales@scanrent.com.au)  
[www.scanrent.com.au](http://www.scanrent.com.au)

