

SR

RAXTAR


RX2550FL - THE BEAR

0-72m/min




RX2550FL - THE BEAR


Wide Body Passenger & Material Hoist (Single Configuration)




OVERVIEW



TOP VIEW




SIDE VIEW




FRONT VIEW

RX2550FL - THE BEAR


Wide Body Passenger & Material Hoist (Twin Configuration)




OVERVIEW



TOP VIEW



SIDE VIEW



FRONT VIEW

Technical Data - RX2550FL - THE BEAR

CAPACITY

Payload	2500kg
Lifting Speed	0 - 72 m/min
Counter Weight	No
Maximum Lifting Height	300m

DIMENSIONS & WEIGHT

Hoist Car internal dimensions (L x W x H)	4.90 x 2.00 x 2.60 m
Ground enclosure (L x W x H)	5.31 x 3.41 x 2.94 m
Length Mast section	1.51m
Weight mast section, single rack	120kg
Weight mast section, double rack	150kg

ELECTRICAL DATA

Motor	2 x 30kw
Power Supply	400 V - 50 hz, 3p
110 V / 230 V power on platform	Standard, included
Overload device	Standard, included
Automatic lubrication	Optional

HOIST CONTROLS

Controls	Frequency control / SNL / PLC
User Interface	Joystick / touch panel
Bluetooth communication	Optional
Manual controls / erection controls	Standard, included
Drop test controls	Standard, included
Programmable landings	Optional
Hoist calling system	Optional
RX Control, internet management control	Optional

GENERAL

Finishing Cabin / Ground Enclosure	Galvanised / Powder Coated
Company Logo & Colour	Optional
Ground Enclosure	Standard, included
C-Door	Optional
Cable Trolley System	Standard, included
Erection Jib	Optional
Norms & Regulations	Machine Directive (EN121159+A1) / A10.4:2007 (USA) /

*Data based on a standard configuration

RAXTAR of the Netherlands is a privately owned organization that provides world class vertical access solutions: construction hoists for passengers & materials, material hoists, transport platforms and industrial lifts. RAXTAR builds on innovation & technology to deliver unequalled operational reliability at the lowest cost of ownership (TCO) in the market. RAXTAR is a synonym for meeting the highest-quality and safety standards.

21-29 West Circuit,
Sunshine West,
3020 VIC, AUSTRALIA

P. +61 3 9312 6497
E. sales@scanrent.com.au
www.scanrent.com.au

